



Clean Water Better Living



RD6000 Kitchen Range



Water, life's essential ingredient

Raindance water filter systems provide an unlimited supply of pure, clean and healthy water for less than the cost of bottled water.

Raindance drinking water filter systems are affordable, easy to install, easy-to-change and have been the choice of kitchen designers and professional plumbers for years.

The RD6000 range comprehensively addresses the most common water problems faced by domestic users such as dirt, rust, taste, odour, chlorine, cyst, giardia, and cryptosporidium.

How convenient are Raindance Water Filters?

- ✓ There are no bottles to carry home or have delivered
- ✓ No refrigerator or cabinet space is wasted
- ✓ Cartridges take just seconds to replace

Introducing the new RD6000 Kitchen Range

- ✓ Provides cleaner, clearer, healthier filtered water 'on tap' in the convenience of your own home.
- ✓ Quick change cartridge systems which makes changing our cartridges easier than changing a light bulb.
- ✓ High performance long lasting filter cartridges which provide great value for money, producing filtered water for less than 1 cent per litre.
- ✓ A design in the range to suit every kitchen.


- a. **RD6000 Dedicated Faucet system**
- b. **RD6100 Full Flow system**
- c. **RD6200 Twin System**
- d. **RD6400 Triflow system**

Clean Water Better Living



Convenience

- Constant supply of better tasting filtered water
- Easy DIY Installation
- Quick change cartridges – which makes cartridges easier to replace than a light bulb.



A Brand you can Trust

- With over 50 years of manufacturing experience in Australia, Raindance continues to be the brand you can trust.
- The preferred brand of choice for Specialist Water Filtration Retailers.
- Certified to Australian standards to help protect the health and safety of your family.



Value for Money

- Raindance's patented high performance carbon block technology provides high flow, high capacity, longer lasting cartridges.
- At less than 1¢ per litre the RD6000 range is the most cost effective domestic filtration system available.

RD6000 Dedicated Faucet Water Filter System

Cleaner, healthier,
great tasting water
in your home at
less than 0.5 cent
per litre

Filtration Benefits

Reduces:



Sediment, dirt, rust and silt to improve water clarity



Offensive odours from built up organic matter in water pipes. Offensive tastes from bacteria killing chlorine

Protects from:



Cryptosporidium, Giardia Cyst and selected volatile organic compound down to 0.5 micron.



Meets Australian Standard

0.5 micron (nominal)

Flow rate: 2.0 lpm optimal

Capacity: 4,000 litres

Temp: min. 4.4°C max. 38°C

Replacement filter cartridges readily available at your nearest quality plumbing supplier.

3year
warranty*

*Warranty conditions: Cartridge not included. Product is provided with 1 year warranty which can automatically be increased to 3 years by registering your product on-line.

System Benefits

Most popular system for under bench water filtration. Preferred by Plumbers for quality, performance and ease of installation.



High quality filtered drinking water supplied through a stylish chrome drinking faucet.



Maintenance free. Sanitary Quick Change System.




Space saving single cartridge



Best filtration economy with high capacity filters supplying filtered water for less than 1/2 cent per litre.

Complete Water Filter system, including:

- Auto shut-off filter head with bracket
- Compact filter cartridge
- Installation instructions
- Installation kit - plumbing fittings & tubing
- Multi-function control valve - pressure limiting 650 kPa & backflow prevention
- Stylish chrome faucet with two interchangeable spouts- round & square



†Mixer tap not included

Stylish interchangeable spouts

Hot Water line →

Cold Water line →

Multi Function Control Valve (MFCV)

Provides dual check / back flow prevention, pressure limiting protection, anti-hammer protection and flow restriction

1/4" Tubing
Food grade tubing

Quick Change Filter Cartridge

As easy as changing a light bulb with composite carbon block media rated at 0.5 micron (nominal)

Requires an approximate space of:

Vertical Mounting: 310mm (h) x 200mm (w)

Horizontal Mounting: 200mm (h) x 310mm (w)

RD6100 Full Flow Undersink Water Filter System

Cleaner, healthier,
great tasting filtered
water which connects
to any kitchen mixer
tap

Filtration Benefits

Reduces:



Sediment, dirt, rust and silt to improve water clarity



Offensive odours from built up organic matter in water pipes. Offensive tastes from bacteria killing chlorine

Protects from:



Cryptosporidium, Giardia Cyst and selected volatile organic compound down to 1 micron.



Meets Australian Standard

1 micron (nominal)

Flow rate: 5.7 lpm optimal

Capacity: 37,854 litres

Temp: min. 4.4°C max. 38°C

Replacement filter cartridges readily available at your nearest quality plumbing supplier.

3year
warranty*

*Warranty conditions: Cartridge not included. Product is provided with 1 year warranty which can automatically be increased to 3 years by registering your product on-line.

System Benefits


Ideal for granite bench tops. Fits to any mixer tap. Will suit all domestic kitchen styles. Filters all cold water supplied to mixer tap.



Compatible with any existing or new main mixer tap. Provides filtered water with uncluttered benchtop.



Maintenance free. Sanitary Quick Change System.



Space saving single cartridge




Filters all cold water supplied to main mixer tap to provide clean, healthy, filtered water for drinking and fruit & vegetable preparation.

Complete Water Filter system, including:

- Auto shut-off filter head with bracket
- Long life filter cartridge
- Installation instructions
- Installation kit- plumbing tubing & fittings (Mixer tap not included)
- Multi-function control valve - pressure limiting 650 kPa & backflow prevention

†Mixer tap
not included



Requires an approximate space of:

Vertical Mounting: 435mm (h) x 280mm (w)

Horizontal Mounting: 280mm (h) x 435mm (w)

RD6200 Twin

Undersink Water Filter System

The next level of filtration protection to provide safer, healthier, cleaner drinking water

Filtration Benefits

Reduces:



Sediment, dirt, rust and silt to improve water clarity



Offensive odours from built up organic matter in water pipes. Offensive tastes from bacteria killing chlorine



VOC - Volatile Organic Compounds

Protects from:



Cryptosporidium, Giardia Cyst and selected volatile organic compound down to 0.2 micron.



Bacteria.

Stage 1 Prefilter RD9353

3 micron (nominal)

Flow rate: 2.85 lpm optimal

Capacity: 2,850 litres

Temp: min. 4.4°C max. 38°C

Stage 2 Bacteria Removal RD9352

0.2 micron (nominal)

Flow rate: 2.85 lpm optimal

Capacity: 2,850 litres

Temp: min. 4.4°C max. 38°C

Replacement filter cartridges readily available at your nearest quality plumbing supplier.

3year
warranty*

*Warranty conditions: Cartridge not included. Product is provided with 1 year warranty which can automatically be increased to 3 years by registering your product on-line.

System Benefits

Provides extremely high quality drinking water using pharmaceutical grade IMPACT¹ Technology to remove dirt, rust, VOCs, cryptosporidium, giardia cysts & bacteria.



High quality filtered drinking water supplied through a stylish chrome drinking faucet.



Maintenance free. Sanitary Quick Change System.




Pharmaceutical grade IMPACT¹ Technology for bacterial removal.

Complete Water Filter system, including:

- Auto shut-off filter head with bracket
- 2 x Filter cartridges
- Installation instructions
- Installation kit- plumbing fittings & tubing
- 1x stylish chrome faucet- round & square
- Multi-function control valve- pressure limiting 650 kPa & backflow prevention
- 2x AA batteries

¹IMPACT - Integrated Membrane Pre-Activated Carbon Technology

- 0.2 micron pharmaceutical grade membrane
- Improved dirt holding
- Removes bacteriostatic cysts



†Mixer tap not included

Stylish Chrome faucet

Hot Water line →
Cold Water line →

Multi Function Control Valve (MFCV)

Provides dual check / back flow prevention, pressure limiting protection, anti-hammer protection and flow restriction

3/8" Tubing
Food grade tubing

'SMART' Technology

Cartridge life indicator shows remaining cartridge life and indicates when cartridge needs to be changed.

Quick Change Filter Cartridge

As easy as changing a light bulb with bacteriostatic silver carbon block media with IMPACT technology rated at 0.2 micron (nominal)

Requires an approximate space of:

Vertical Mounting: 340mm (h) x 320mm (w)

RD6400 Tri Flow

Undersink Water Filter System

Cleaner, healthier, better tasting drinking water

- No drilling
- Single tap only
- At less than 0.5 cent per litre

Filtration Benefits

Reduces:



Sediment, dirt, rust and silt to improve water clarity



Offensive odours from built up organic matter in water pipes. Offensive tastes from bacteria killing chlorine

Protects from:



Cryptosporidium, Giardia Cyst and selected volatile organic compound down to 0.5 micron.



WaterMark
AGENCY 349711006
Lic: WMAK21119
SAS Global

Meets Australian Standard



WELS 4 star water saving rating max. flow 7.5 lpm

0.5 micron (nominal)

Filtered Flow rate:

2.0 lpm maximum

Temp: min. 4.4°C

Capacity: 4,000 litres

Hot / Water Flow rate:

7.5 lpm maximum

max. 38°C

★★★★ WELS 4 star rated

3year
warranty*

*Warranty conditions: Cartridge not included. Product is provided with 1 year warranty which can automatically be increased to 3 years by registering your product on-line.

System Benefits

Ideal for granite bench tops. Space saving design. Best filtration economy. Provides hot, cold & filtered drinking water.



Supplies filtered, hot & cold water through special dual action mixer tap.



Maintenance free. Sanitary Quick Change System.




Space saving single cartridge.



Best filtration economy with high capacity filters supplying filtered water for less than 1/2 cent per litre.

Complete Water Filter system, including:

- All-in-One Mixer Tap- WELS 4 Star
- Auto shut-off filter head with bracket
- Compact filter cartridge
- Installation kit- plumbing fittings & tubing
- Installation instructions
- Multi-function control valve - pressure limiting 650 kPa & backflow prevention



All-in-One Mixer Tap
Provides filtered water through a separate outlet built into mixer tap

Hot Water line →

Cold Water line →

Multi Function Control Valve (MFCV)
Provides dual check / back flow prevention, pressure limiting protection, anti-hammer protection and flow restriction

1/4" Tubing
Food grade tubing

Quick Change Filter Cartridge
As easy as changing a light bulb with composite carbon block media rated at 0.5 micron (nominal)

Requires an approximate space of:
Vertical Mounting: 310mm (h) x 200mm (w)
Horizontal Mounting: 200mm (h) x 310mm (w)

RD6005C

Replacement Cartridge



Reduces:



Sediment



Taste & Odour

Protects from:



Giardia, Cyst & Cryptosporidium

Product Specifications:

0.5 micron (nominal)

Flow rate: 1.9 lpm

Temp: min. 4.4°C max. 38°C

Pressure: min. 138 kPa max. 862 kPa

Capacity: 4,000 L

Dimensions:

263mm (h)* x 74mm (w) x 70mm (d)

*Overall height when attached to VB2 head

For cold water use only. Protect from freezing.

Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system. If system is not used for 2 days or more, flush 5-10 litres of water through before consuming water.

Cartridge Life Expectancy



Up to 6 months using Raindance designated drinking faucet depending on volume and quality of water supply.

RD9951

Replacement Cartridge



Reduces:



Sediment



Taste & Odour

Protects from:



Giardia, Cyst & Cryptosporidium

Product Specifications:

1 micron (nominal)

Flow rate: 5.7 lpm

Temp: min. 4.4°C max. 38°C

Pressure: min. 172 kPa max. 862 kPa

Capacity: 37,854 L

Dimensions:

385mm (h)* x 82mm (w) x 120mm (d)

*Overall height when attached to NEP head

For cold water use only. Protect from freezing.

Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system. If system is not used for 2 days or more, flush 5-10 litres of water through before consuming water.

Cartridge Life Expectancy



Up to 12 months when fitted to existing kitchen tap depending on volume and quality of water supply.

RD9353

Replacement Cartridge



Reduces:



Sediment



Taste & Odour

Protects from:



Giardia Cyst &
Cryptosporidium

Product Specifications:

3 micron (nominal)

Flow rate: 2.85 lpm

Temp: min. 4.4°C max. 38°C

Pressure: min. 138 kPa max. 862 kPa

Capacity: 2,850 L

Dimensions:

340mm (h)* x 320mm (w)

*Overall height when attached to NEP head

For cold water use only. Protect from freezing.

Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system. If system is not used for 2 days or more, flush 5-10 litres of water through before consuming water.

Cartridge Life Expectancy



Up to 6 months using Raindance designated drinking faucet depending on volume and quality of water supply.

RD9352

Replacement Cartridge



Reduces:



Sediment



Taste & Odour

Protects from:



Giardia Cyst &
Cryptosporidium

Product Specifications:

0.2 micron (nominal)

Flow rate: 2.85 lpm

Temp: min. 4.4°C max. 38°C

Pressure: min. 138 kPa max. 862 kPa

Capacity: 2,850 L

Dimensions:

340mm (h)* x 320mm (w)

*Overall height when attached to NEP head

For cold water use only. Protect from freezing.

Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system. If system is not used for 2 days or more, flush 5-10 litres of water through before consuming water.


Cartridge Life Expectancy



Up to 6 months using Raindance designated drinking faucet depending on volume and quality of water supply.


Raindance Filter Cartridge Selection Guide

SEDIMENT FILTER CARTRIDGES

Model	Type	Use	Rating (nominal)
6-SPF-68260 	Sediment Poly	Standard on all Twin systems Dirt, Rust, Scale	3 micron
6-SPF-003-XL	Sediment Poly	Disposable, Heavy Duty Dirt, Rust	3 micron
6-SPF-P5	Sediment Wound	Disposable, String wound Dirt, Rust	5 micron
6-SPF-P10	Sediment Wound	Disposable, Heavy Duty Dirt, Rust	10 micron
6-SPF-P25	Sediment Wound	Disposable, Heavy Duty Dirt, Rust	25 micron
6-VP-M30-10	Sediment Pleated	Washable/Reusable Sediment Cartridge- Dirt, Rust	30 micron





MID RANGE CARBON CARTRIDGES

Model	Type	Use	Rating (nominal)
6-CTO-68260 	Sediment/Taste Carbon Felt	Budget Carbon Cartridge Dirt, Taste & Odour	5 micron
6-CTO-234-10	Carbon Felt	Taste & Odour	5 micron
6-CTO-68260	Granular Carbon	Strong Taste Odour Reduction	5 micron
6-CA-UDS-10 DI	Granular Carbon/Resin	Taste & Odour Hardness Reduction	5 micron






PREMIUM CARBON CARTRIDGES

Model	Type	Use	Rating (nominal)
6-CCA-68260 	Taste & Odour Cyst Protection Carbon Block	Standard in Ultrasafe Twin Dirt, Taste & Odour	0.5 micron
6-CCA-XB10	Extruded Carbon Block	Taste & odour Reduction and Giardia, Cryptosporidium	0.5 micron
6-CVM-68260Z 	Taste & Odour Carbon with Silver	Standard in all Counter Tops Dirt, Taste & Odour	1 micron
6-CVM-BC10Z	Carbon Block with Silver	Taste & Odour Reduction	1 micron



Water Contaminants

Reduces	Problem	Effect of contaminant
<p>SEDIMENT</p> 	<p>Damages plumbing and appliances over time. Includes rust particles that can cause brown, yellow or orange spots on clothing, fixtures and toilets</p>	<p>Unpleasant drinking experience. Solids and discolouration of water. Damages and blocks internals of taps / shower roses and hot water cylinders</p>
<p>TASTE & ODOUR</p> 	<p>Chlorine is used by water treatment plants to kill harmful bacteria and organisms. It has a recognizable taste and odour that can be unpleasant</p>	<p>Affecting the taste and odour of water. High levels are drying to skin, irritating skin conditions such as eczema.</p>

Protects from	Problem	Effect of contaminant
<p>GIARDIA CYST & CRYPTOSPORIDIUM</p> 	<p>Encapsulated forms of single cell parasites that may be present in drinking water and resistant to normal chlorination</p>	<p>Ingested cysts can cause abdominal cramping, diarrhoea and in immune deficient people (Children and elderly) can cause death</p>



For General inquiries or technical support, simply contact us on 1800 654 440 or email us at enquiry@aquafresh.com.au



For technical assistance and product support phone

Master Distributor

Aqua Fresh Holdings Pty Ltd

1800 654 440