

Water Filters - Water Purifiers

E Shower Filters

WATER FILTERS TO SUIT TODAY'S KITCHENS

An Alpine under sink water purifier is a convenient means of providing clean, fresh tasting water free of contaminants at a fraction of the cost of bottled water.

Hidden away plumbed conveniently under the sink, the range of Alpine water filters is ideal for home and/or office situations.

All systems are supplied with installation kits which include connections to your under sink pipework, pressure limiting anti-hammer back flow prevention valving, shut off valve, high pressure food grade tubing and a stylish chrome faucet.

The benefits of underbench purifiers

It reduces:



Sediment, dirt, rust and silt to improve water clarity



Offensive odours from built up organic matter in water pipes. Offensive tastes from bacteria killing chlorine



VOC - Volatile Organic Compounds

Prevents against:



Cryptosporidium, Giardia Cyst and selected volatile organic compound down to 0.5 micron (nominal)

All under sink systems include a chrome ceramic seat quarter turn designer faucet

Bacteria



Alpine TJ Series Single Underbench Purifier

Single Underbench Type Model Alpine SUTJ Series SUTJ3-K2-DFM Part Number Micron Rating 0.5 micron (nominal) Flow Rate 4 litres/minute (optimal) Max. 38 degrees C Temperature 862 kPa (125 psi) Pressure 275 mm high x 95 mm wide x 93 mm deep Dimensions





Alpine TJ Series Twin Underbench Purifier

Type Model Part Number Micron Rating Flow Rate Temperature Prossure	Twin Undersink Alpine TJ Series DUTJ43-K2-DFM 0.5 micron (nominal) 4 litres / minute (optimal) Maximum 38 deg C 862 kP2 (125 psi)
Pressure	862 kPa (125 psi)
Dimensions	275mm high x 190mm wide x 93mm deep







Alpine 3 Stage Undersink Water Purifier

Type Model Part Number Micron Rating Flow Rate Temperature Pressure Dimensions 3 Stage Undersink Alpine TJ Series TUTL43NF-K6-DFM 0.2 micron 4 litres per minute (optimal) 38 degrees C max. 862 kPa (125 psi) 275 mm high x 290 mm wide x 93 mm deep

\$580 INCL.

Alpine Reverse Osmosis Undersink Water Purifier

Reverse Osmosis Undersink Type Model Alpine TJ Series Part Number TJR013T12-K3-DFM 5 angstrom Micron Rating 1.5 litres per minute (optimal) from Flow Rate accumulator tank Temperature 38 degrees C max. Pressure 862 kPa (125 psi) 290 mm high x Dimensions 390 mm wide x 93 mm deep



HIGH FLOWING FILTERED WATER FOR YOUR KITCHEN MIXER TAP



Introducing the Alpine AQ905 Full Flow System

A high performance, high flowing filtered water for your kitchen mixer tap. Fits in line with your cold water mains supply to your kitchen mixer faucet. Filtered water cartridge Watermarked certified to reduce chlorine, bad tastes and odours, sediment and other chemicals.

What's in the kit

Bracketed filter head $-\frac{1}{2}$ "BSP male inlet and outlet

High Flow Filter Cartridge Watermark Certified AS3497 Lic. 23066

Two 450mm x 1/2" BSP braided hoses - 15 year warranty - Watermark certified WMKA21431

Ceramic disc chrome stop valve with swivel nut - Watermark certified

Chrome brass pressure limiting anti hammer back flow prevention valve – Watermark certified to AS1357.2, AS2845.1, Lic 23059

Features

Quick and easy installation – fits in line with existing braided hoses

Ideal for stone benchtops or where a separate dedicated faucet is not ideal

System hidden away under the kitchen bench

Quick and easy cartridge replacement with up to 12 months usage

Specifications

Flow rate: Max water temperature: Filtration Grade: Micron Rating: Minimum Pressure: Maximum Pressure: Warranty (excl cartridge): Dimensions: 8 litres per minute 38 deg C Fine 5 172 kPa (25psi) 860 kPa (125 psi) 3 years 450mm (L) x 110mm (W)



The Alpine "Grande" Tri Flow Polished Chrome Designer Mixer Faucet

A chrome plated finish brass this mixer tap/faucet and has an ultra modern look in any kitchen.

The Alpine "Grande" faucet features a pin levered Hot and Cold mixer operation on the top with an easy to use pin lever control under the spout for pure water flow. This faucet eliminates the need for separate filtered water faucet.

It is the perfect faucet for **reverse osmosis, single, twin** or **triple undersink water filtration systems**. The Alpine "Grande" faucet can easily replace an existing mixer faucet to reduce the clutter on your kitchen bench.

This product is Watermark Certified to AS/NZS 3718 Cert. 23033



SIT BACK AND BREATHE EASY

With Blueair air purifier systems, you can surround yourself with air that is virtually free from impurities – wherever you are. Unlike most other hepa air cleaners, Blueair's HEPASilent filter technology removes 99.97% of airborne particles as small as 0.1 micron – that's 3 times better than a standard (0.3 micron) Hepafilter. And with zero ozone emission.

Our range of world-class room air purifiers meet virtually every requirement for Australians living and working with asthma, allergies, hayfever, pets, road fumes, chemical residues and other forms of airborne pollution.

Features

HEPA

Particle Filter removes 99.97% of airborne particles such as pollen, dust, and pet dander. A combination of both electrostatic and mechanial filterationmeans a less dense filter media, and whipser-silent delivery of clean air.

SmokeStop Filter for removal of gaseous pollutants, such as tobacco smoke or volatile organic compounds. The same SmokeStop uses the same HEPASilent technology as our particle filters to remove 99.97% of harmful particles such as pollen and dust from the air.

HEPASilent technology unites the best in electrostatic and mechanical filtration. Its revolutionary combination of advanced filter media and an encapsulated ion particle charging chamber ensured that your Blueair purifier delivers results far superior than either echanical or electrostatic technology alone.

Wi-Fi use the Blueair Friend app to control functions such as the fan speed, LED light, child lock and night mode on your connected air purifier. You can turn it on and off remotely with the Blueair Friend app, to make sure you always breathe clean indoor air when you arrive at home or at work.

Smarphone Control your Wi-Fi connected unit from your smartphone with the Blueair Friend app. Change functions such as fan speed, child lock etc remotely, to make sure you always have access to clean air. The Blueair Friend app will also help you monitor indoor and outdoor air quality and recommend measures to stay healthy.

The Intergrated Air Monitor checks particle and gas levels in the air and adjusts the can speed automatically, to maintain the cleanest possible indoor air.

Castors Forget dragging or lifting your air purifier. Save your back with these casters, that allows you to roll your airpurifier to wherever you want it.

Blueair Joy S

Recommended room size 17m2

Size (H x W x D) 424 x 203 x 203 mm

Product weight 3.4 kg

Energy consumption 1.5 - 10 watts

Sound level 17 - 46 dB(A)

Blueair Classic 480i

Recommended room size 40m2

Size (H x W x D) 533 x 432 x 209 mm

Product weight 11 kg

Energy consumption 20- 80 watts

Sound level 32 - 56 dB(A)

Blueair Sense+

Recommended room size 18m2

Size (H x W x D) 492 x 470 x 170 mm

Product weight 11,5 kg

Energy consumption 7 - 45 watts

Sound level 29 - 50 dB(A)





\$1,339 INCL

Blueair Classic 205

Recommended room size 26m2

Size (H x W x D) 533 x 432 x 209 mm

Product weight 11 kg

Energy consumption 20 - 80 watts

Sound level 32 - 56 dB(A)





Blueair Classic 680i

Recommended room size 72m2

Size (H x W x D) 660 x 500 x 340 mm

Product weight 16 kg

Energy consumption 15 - 100 watts

Sound level 32 - 62 dB(A)





QUALITY SHOWER FILTERS FOR CHLORINE REDUCED, REFRESHING SHOWERS

Chlorine is universally used to disinfect water but it is generally regarded as not safe for drinking, showering or bathing. Today, millions of people worldwide filter their drinking water but comparatively few filter their shower water even though research studies have reported and warned of the potential damaging effects of exposure to chlorine evaporated out of shower water.

Public concern is growing and one day something will be done but in the short term, the simple, economical answer is to install a shower filter that will reduce or remove the harmful chlorine as well as dirt, rust, sediment and other water borne contaminants.



Universal shower hose filter

(hose and showerhead not included)

The shower hose filter connects between the water inlet and the shower hose and has a unique ball swivel connection.

The filter provides a service life of about 6 months and uses the special high performance KDF and ChlorgonTM filtration media.

The replaceable cartridge can be easily reversed to provide balanced filtration and back flushing for excellent long life.

The unit is available in Chrome finish only.

Size: 40mm diameter x 200mm length

System Benefits:

Reduces chlorine, dirt and odours from your shower water.

Reduces problems such as dry skin and hair, eye and skin irritations, scum on shower screens caused by chlorine in your shower water.

This high performance shower filter provides a clean and healthy shower for the entire family.

Cartridge life approximately 4 to 6 months.



Shower Filter SFHOWH

(shower rose not included)

The high output replaceable cartridge is easily reversed to provide balanced filtration and back flushing and gives an excellent service life of about 12 months. Features special high performance KDF and ChlorgonTM filtration media.

The shower filter unit is available in White, Chrome and Gold finish as options to suit almost every bathroom décor. Available with or without massaging action shower rose.

Size: 89mm diameter x 108mm length

System Benefits:

Reduces chlorine, dirt and odours from your shower water.

Reduces problems such as dry skin and hair, eye and skin irritations, scum on shower screens caused by chlorine in your shower water.

This high performance shower filter provides a clean and healthy shower for the entire family.

Cartridge life approximately 12 months.

ALPINE CARTRIDGES

Aqua Fresh supplies Alpine labelled cartridge filtration that is used extensively to remove sediment, tastes and odours, colour, chemicals, particulates for drinking, process and medical quality water.

The Alpine range of premium cartridges covers a wide variety of applications and properties -the common types of which are listed on the following pages.

With over 28 years of service in the water filtration industry the technical team at Aqua Fresh can help you source the most efficient cartridge for your filtration requirements.

Alpine Polyspun Sediment Cartridges

Manufactured from Spun Polypropylene media

Spun melt manufacture – no centre core lining to restrict flow

- Spun and melted to provide graded depth
- Suitable for town mains water supply
- Compatible with most liquids
- High sediment reduction capability
- Low pressure drop
- Zero chemical residue
- Lower flow restriction



Sand

Algae

Organic materials

- Dirt
- Rust
- Silt
- Scale particles

Slimline 2.5" diameter polyspun cartridges

Part Number	Length	Micron	Flow L/Min	
SPF001	10"	1	20	
SPF005	10"	5	25	
SPF020	10"	20	30	
SPF050	10"	50	40	
SPF001-20	20"	1	80	
SPF005-20	20"	5	80	
SPF020-20	20"	20	80	

Jumbo 4.5" diameter polyspun cartridges

Part Number	Length	Micron	Flow L/Min
SPF001BW	10"	1	70
SPF005BW	10"	5	80
SPF020BW	10"	20	80
SPF001BW-20	20"	1	150
SPF005BW-20	20"	5	160
SPF020BW-20	20"	20	160





Alpine String Wound Sediment Cartridges

Manufactured from a durable Polypropylene cord wound in a precise pattern around a rigid polypropylene core

- Suitable for town mains or rainwater water supply & a wide range of industrial liquids
- High sediment reduction capability
- Low pressure drop
- Zero chemical residue
- Low flow restriction
- Temperatures up to 165 F (73.90 C)



Highly efficient in removing from water the following:

- •
- Rust
- SandAlgae
- Silt

•

Dirt

- Organic materials
- Scale particles

Slimline 2.5" diameter string wound cartridges

Part Number	Length	Micron	Flow L/Min	
SED-P1-10	10"	1	30	
SED-P5-10	10"	5	30	
SED-P10-10	10"	10	30	
SED-P25-10	10"	25	30	
SED-P50-10	10"	50	30	
SED-P1-20	20"	1	60	
SED-P5-20	20"	5	60	
SED-P25-20	20"	25	60	
SED-P50-20	20"	20	60	

Jumbo 4.5" diameter string wound cartridges

Part Number	Length	Micron	Flow L/Min
SED-P1-10BW	10"	1	80
SED-P5-10BW	10"	5	80
SED-P25-10BW	10"	25	80
SED-P50-10BW	10"	50	80
SED-P1-20BW	20"	1	160
SED-P5-20BW	20"	5	160
SED-P25-20BW	20"	25	160
SED-P50-20BW	20"	20	160

Alpine Pleated Sediment Cartridges

Polypropylene core, polypropylene/polyester media

Cartridges do not contain cellulose fibre – therefore resistant to rot and mildew

Highly efficient in removing from water the following:

- Dirt
- Rust
- Silt
- Scale particles
- Sand
- Algae



- Suitable for rainwater supply
- Large surface area
- High sediment reduction capability
- Minimum pressure drop
- Suitable for low pressure applications
- Lower flow restriction

Slimline 2.5" diameter pleated cartridges

Part Number	Length	Micron	Flow L/Min
VPM5-10	10"	5	40
VPM10-10	10"	10	40
VPM20-10	10"	20	40
VPM50-10	10"	50	40
VPM100-10	10"	100	40
VPM5-20	20"	5	80
VPM20-20	20"	20	80
VPM50-20	20"	50	80

Jumbo 4.5" diameter pleated cartridges

Part Number	Length	Micron	Flow L/Min	
PP5BW	10"	5	90	
PP10BW	10"	10	90	
PP20BW	10"	20	90	
PP50BW	10"	50	90	
PP5BW-20	20"	5	180	
PP20BW-20	20"	20	180	
PP50BW-20	20"	50	180	



Alpine Carbon Cartridges

For reduction of chlorine, bad tastes and odours, colour, cysts, some Volatile Organic Compounds, pesticides, herbicides

Carbon Block Cartridges

- Effectively reduce unwanted taste, odour & chlorine from drinking water.
- Specific cartridges reduce cysts (Giardia & Cryptosporidium) and lead.

Granular Activated Carbon Cartridges

- Low pressure drop
- Effectively reduce unwanted taste, odour & chlorine from drinking water.
- Reduction of colour due to tannins



Slimline 2.5" diameter carbon block cartridges

Part Number	Length	Micron	Flow L/Min	
C240-05	5"	1	10	
CXB-05	5"	0.5	10	
C235	10"	5	15	
C240	10"	1	15	
C240Z*	10"	1	15	
CXB10**	10"	0.5	15	
C240-20	20"	1	30	
CXB-20	20"	0.5	30	
* CO407 Destariasta	tio t		prinatatia 8 Quat	

* C240Z Bacteriastatic

** CXB10 Bacteriastatic & Cyst

Slimline 2.5" dia. granular activated carbon cartridges

Part Number	Length	Micron	Flow L/Min
GAC510	10"	5	15
GAC-P5-20	20"	5	27

Jumbo 4.5" diameter carbon cartridges

Part Number	Length	Micron	Flow L/Min
C235-10BW	10"	5	60
CXB-10BW	10"	0.5	60
C235-20BW	20"	5	110

Jumbo 4.5" dia. granular activated carbon cartridges

Part Number	Length	Micron	Flow L/Min
CGA-5BW	10"	20	30
CGA-5-20BW	20"	20	40



Would you like more information about our products and services?

Call our showroom on 07 3355 1591

or send us your general enquiry online at aquafresh.com.au/contact-us

Aquafresh Holdings Pty Ltd 76 Farrington St, Alderley QLD 4051

aquafresh.com.au | 07 3355 1591 enquiry@aquafresh.com.au | ABN 96 119 427 897

